





1. RF Output Power, Duty Cycle, Tx-sequence, Tx-gap, Medium Utilization




1.1 Test Result


Test Mode	Test Condition	Test Frequency (MHz)	Ant No.	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
1	NTNV	2410	1	12.10	15.10	20.00	PASS
		2440	1	13.63	16.63	20.00	PASS
		2470	1	13.95	16.95	20.00	PASS
	HTNV	2410	1	12.11	15.11	20.00	PASS
		2440	1	13.65	16.65	20.00	PASS
		2470	1	13.96	16.96	20.00	PASS
	LTNV	2410	1	12.10	15.10	20.00	PASS
		2440	1	13.64	16.64	20.00	PASS
		2470	1	13.95	16.95	20.00	PASS

1.2 Test Graph










2. Occupied Channel Bandwidth

2.1 Test Result

Test Mode	Test Condition	Test Frequency (MHz)	Ant No.	OBW (MHz)	FL OBW (MHz)	FH OBW (MHz)	Limit (MHz)	Verdict
1	NTNV	2410	1	17.98	2401.00	/	2400<FL, FH<2483.5	PASS
		2470	1	17.91	/	2478.98	2400<FL, FH<2483.5	PASS

2.2 Test Graph





3. Power Spectral Density

3.1 Test Result

Test Mode	Test Condition	Test Frequency (MHz)	Ant No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
1	NTNV	2410	1	3.64	<=10.00	PASS
		2440	1	4.98	<=10.00	PASS
		2470	1	5.33	<=10.00	PASS

3.2 Test Graph






4. Transmitter unwanted emissions in the out-of-band domain


4.1 Test Result

Test Mode	Test Condition	Test Frequency (MHz)	Ant No.	Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
1	NTNV	2410	1	2399.500	-32.55	<=-10.0	PASS
				2398.500	-34.17	<=-10.0	PASS
				2397.500	-37.79	<=-10.0	PASS
				2396.500	-36.41	<=-10.0	PASS
				2395.500	-38.35	<=-10.0	PASS
				2394.500	-39.10	<=-10.0	PASS
				2393.500	-39.01	<=-10.0	PASS
				2392.500	-39.86	<=-10.0	PASS
				2391.500	-40.55	<=-10.0	PASS
				2390.500	-40.20	<=-10.0	PASS
				2389.500	-43.96	<=-10.0	PASS
				2388.500	-41.40	<=-10.0	PASS
				2387.500	-45.67	<=-10.0	PASS
				2386.500	-46.21	<=-10.0	PASS
				2385.500	-48.08	<=-10.0	PASS
				2384.500	-49.97	<=-10.0	PASS
				2383.500	-50.43	<=-10.0	PASS
				2382.515	-52.82	<=-10.0	PASS
				2381.515	-53.14	<=-20.0	PASS
				2380.515	-53.24	<=-20.0	PASS
				2379.515	-53.25	<=-20.0	PASS
				2378.515	-53.26	<=-20.0	PASS
				2377.515	-53.27	<=-20.0	PASS
				2376.515	-53.30	<=-20.0	PASS
				2375.515	-53.29	<=-20.0	PASS
				2374.515	-53.29	<=-20.0	PASS
				2373.515	-53.30	<=-20.0	PASS
				2372.515	-53.30	<=-20.0	PASS
				2371.515	-53.31	<=-20.0	PASS
				2370.515	-53.31	<=-20.0	PASS
				2369.515	-53.33	<=-20.0	PASS
				2368.515	-53.34	<=-20.0	PASS
				2367.515	-53.34	<=-20.0	PASS
				2366.515	-53.33	<=-20.0	PASS
				2365.515	-53.34	<=-20.0	PASS
				2364.530	-53.35	<=-20.0	PASS
		2470	1	2484.000	-38.37	<=-10.0	PASS
				2485.000	-38.31	<=-10.0	PASS
				2486.000	-38.56	<=-10.0	PASS
				2487.000	-39.51	<=-10.0	PASS
				2488.000	-37.58	<=-10.0	PASS
				2489.000	-39.30	<=-10.0	PASS
				2490.000	-39.78	<=-10.0	PASS
				2491.000	-39.22	<=-10.0	PASS
				2492.000	-44.23	<=-10.0	PASS
				2493.000	-47.03	<=-10.0	PASS
				2494.000	-47.12	<=-10.0	PASS
				2495.000	-51.48	<=-10.0	PASS

				2496.000	-52.80	<=-10.0	PASS
				2497.000	-52.93	<=-10.0	PASS
				2498.000	-52.92	<=-10.0	PASS
				2499.000	-52.91	<=-10.0	PASS
				2500.000	-52.91	<=-10.0	PASS
				2500.911	-53.10	<=-10.0	PASS
				2501.911	-53.08	<=-20.0	PASS
				2502.911	-53.07	<=-20.0	PASS
				2503.911	-53.07	<=-20.0	PASS
				2504.911	-53.04	<=-20.0	PASS
				2505.911	-53.05	<=-20.0	PASS
				2506.911	-53.03	<=-20.0	PASS
				2507.911	-53.02	<=-20.0	PASS
				2508.911	-52.99	<=-20.0	PASS
				2509.911	-53.00	<=-20.0	PASS
				2510.911	-52.97	<=-20.0	PASS
				2511.911	-52.96	<=-20.0	PASS
				2512.911	-52.94	<=-20.0	PASS
				2513.911	-52.95	<=-20.0	PASS
				2514.911	-52.92	<=-20.0	PASS
				2515.911	-52.93	<=-20.0	PASS
				2516.911	-52.90	<=-20.0	PASS
				2517.911	-52.88	<=-20.0	PASS
				2518.822	-52.87	<=-20.0	PASS


4.2 Test Graph






5. Transmitter Unwanted Emissions In The Spurious Domain

5.1 Test Graph



6. Receiver Spurious Emissions

6.1 Test Graph



7. Receiver Blocking

7.1 Test Result

Receiver Category	Test Channel	Pmin (dBm)	Blocking signal frequency (MHz)	Blocking signal power (dBm)	Performance	Limit	Result
1	Lowest	-60	2300	-47	Work as normal, no loss of functions	Work as intended, No loss of functions	Pass
			2330	-47			Pass
			2360	-47			Pass
			2380	-53			Pass
			2503.5	-53			Pass
			2523.5	-47			Pass
			2553.5	-47			Pass
			2583.5	-47			Pass
			2613.5	-47			Pass
			2643.5	-47			Pass
			2673.5	-47			Pass
	Highest	-66	2300	-47			Pass
			2330	-47			Pass
			2360	-47			Pass
			2380	-53			Pass
			2503.5	-53			Pass
			2523.5	-47			Pass
			2553.5	-47			Pass
			2583.5	-47			Pass
			2613.5	-47			Pass
			2643.5	-47			Pass
			2673.5	-47			Pass