




Appendix for 301893




1. Carrier Frequencies




1.1 Test Result




Test Condition	Test Mode	Test Frequency [MHz]	Ant	Result [ppm]	Limit [ppm]	Verdict
NTNV	Carrier	5180	1	-2.32	<=20	PASS
		5190	1	-2.31	<=20	PASS
		5200	1	-2.31	<=20	PASS
		5210	1	-2.3	<=20	PASS
		5230	1	-2.29	<=20	PASS
		5240	1	-2.29	<=20	PASS
HTHV	Carrier	5180	1	-2.32	<=20	PASS
		5190	1	-2.31	<=20	PASS
		5200	1	-2.31	<=20	PASS
		5210	1	-0.19	<=20	PASS
		5230	1	-2.29	<=20	PASS
		5240	1	-2.29	<=20	PASS
HTLV	Carrier	5180	1	-2.32	<=20	PASS
		5190	1	-2.31	<=20	PASS
		5200	1	-2.31	<=20	PASS
		5210	1	-2.11	<=20	PASS
		5230	1	-2.29	<=20	PASS
		5240	1	-2.29	<=20	PASS
LTHV	Carrier	5180	1	-2.32	<=20	PASS
		5190	1	-2.31	<=20	PASS
		5200	1	-2.31	<=20	PASS
		5210	1	-2.11	<=20	PASS
		5230	1	-2.29	<=20	PASS
		5240	1	-2.29	<=20	PASS
LTLV	Carrier	5180	1	-2.32	<=20	PASS
		5190	1	-2.31	<=20	PASS
		5200	1	-2.31	<=20	PASS
		5210	1	-2.11	<=20	PASS
		5230	1	-2.29	<=20	PASS
		5240	1	-2.29	<=20	PASS




1.2 Test Graph







































2. Occupied Channel Bandwidth




2.1 Test Result




Test Condition	Test Mode	Test Frequency [MHz]	Ant	OBW [MHz]	Verdict
NTNV	802.11a	5180	1	16.325MHz (5188.152MHz)	PASS
			2	16.328MHz (5188.155MHz)	PASS
		5200	1	16.325MHz (5208.149MHz)	PASS
			2	16.322MHz (5208.15MHz)	PASS
		5240	1	16.326MHz (5248.145MHz)	PASS
			2	16.325MHz (5248.147MHz)	PASS
	802.11ac	5180	1	17.534MHz (5188.754MHz)	PASS
			2	17.535MHz (5188.758MHz)	PASS
		5190	1	35.889MHz (5207.927MHz)	PASS
			2	35.884MHz (5207.929MHz)	PASS
		5200	1	17.533MHz (5208.752MHz)	PASS
			2	17.535MHz (5208.755MHz)	PASS
		5210	1	75.24MHz (5247.568MHz)	PASS
			2	75.257MHz (5247.569MHz)	PASS
		5230	1	35.877MHz (5247.884MHz)	PASS
			2	35.88MHz (5247.897MHz)	PASS
		5240	1	17.536MHz (5248.747MHz)	PASS
			2	17.534MHz (5248.75MHz)	PASS
	802.11n	5180	1	17.533MHz (5188.754MHz)	PASS
			2	17.534MHz (5188.756MHz)	PASS
		5190	1	35.897MHz (5207.951MHz)	PASS
			2	35.897MHz (5207.939MHz)	PASS
		5200	1	17.54MHz (5208.756MHz)	PASS
			2	17.533MHz (5208.752MHz)	PASS
		5230	1	35.883MHz (5247.896MHz)	PASS
			2	35.881MHz (5247.891MHz)	PASS
		5240	1	17.534MHz (5248.749MHz)	PASS
			2	17.534MHz (5248.748MHz)	PASS




2.2 Test Graph



ANT 1:

























ANT 2:











3. RF Output Power

3.1 Test Result

Test Condition	Test Mode	Test Frequency[MHz]	Ant	EIRP [dBm]	Limit [dBm]	Verdict
NTNV	802.11a	5180	1	10.71	<23	PASS
		5180	2	10.56	<23	PASS
		5200	1	10.62	<23	PASS
		5200	2	10.5	<23	PASS
		5240	1	10.59	<23	PASS
		5240	2	10.55	<23	PASS
	802.11ac	5180	1	10.61	<23	PASS
			2	10.51	<23	PASS
			total	13.57	<23	PASS
		5190	1	10.55	<23	PASS
			2	10.69	<23	PASS
			total	13.63	<23	PASS
		5200	1	10.52	<23	PASS
			2	10.48	<23	PASS
			total	13.51	<23	PASS
		5210	1	10.52	<23	PASS
			2	10.49	<23	PASS
			total	13.51	<23	PASS
		5230	1	10.59	<23	PASS
			2	10.36	<23	PASS
			total	13.49	<23	PASS
		5240	1	10.58	<23	PASS
			2	10.45	<23	PASS
			total	13.53	<23	PASS
	802.11n	5180	1	10.61	<23	PASS
			2	10.63	<23	PASS
			total	13.63	<23	PASS
		5190	1	10.6	<23	PASS
			2	10.44	<23	PASS
			total	13.53	<23	PASS
		5200	1	10.64	<23	PASS
			2	10.62	<23	PASS
			total	13.64	<23	PASS
		5230	1	10.47	<23	PASS
			2	10.45	<23	PASS
			total	13.47	<23	PASS
		5240	1	10.4	<23	PASS
			2	10.45	<23	PASS
			total	13.44	<23	PASS
HTHV	802.11a	5180	1	10.79	<23	PASS
		5180	2	10.61	<23	PASS
		5200	1	10.65	<23	PASS
		5200	2	10.57	<23	PASS
		5240	1	10.66	<23	PASS
		5240	2	10.59	<23	PASS
	802.11ac	5180	1	10.4	<23	PASS
			2	10.5	<23	PASS
			total	13.46	<23	PASS
		5190	1	10.62	<23	PASS
			2	10.46	<23	PASS

		5200	total	13.55	<23	PASS
			1	10.63	<23	PASS
			2	10.58	<23	PASS
		5210	total	13.62	<23	PASS
			1	10.51	<23	PASS
			2	10.49	<23	PASS
		5230	total	13.51	<23	PASS
			1	10.37	<23	PASS
			2	10.46	<23	PASS
		5240	total	13.43	<23	PASS
			1	10.32	<23	PASS
			2	10.51	<23	PASS
	802.11n	5180	total	13.43	<23	PASS
			1	10.48	<23	PASS
			2	10.5	<23	PASS
		5190	total	13.5	<23	PASS
			1	10.46	<23	PASS
			2	12.82	<23	PASS
		5200	total	14.81	<23	PASS
			1	10.63	<23	PASS
			2	10.38	<23	PASS
		5230	total	13.52	<23	PASS
			1	10.6	<23	PASS
			2	10.22	<23	PASS
HTLV	802.11a	5180	total	13.42	<23	PASS
			1	10.39	<23	PASS
		5240	2	10.47	<23	PASS
			total	13.44	<23	PASS
	802.11ac	5180	1	10.71	<23	PASS
			2	10.54	<23	PASS
			total	10.55	<23	PASS
		5190	1	10.63	<23	PASS
			2	10.54	<23	PASS
			total	10.61	<23	PASS
		5200	1	10.57	<23	PASS
			2	10.5	<23	PASS
			total	13.55	<23	PASS
		5210	1	10.61	<23	PASS
			2	10.67	<23	PASS
			total	13.65	<23	PASS
		5230	1	10.54	<23	PASS
			2	10.48	<23	PASS
			total	13.52	<23	PASS
		5240	1	10.52	<23	PASS
			2	10.48	<23	PASS
			total	13.51	<23	PASS
	802.11n	5180	1	10.59	<23	PASS
			2	10.4	<23	PASS
			total	13.51	<23	PASS
		5190	1	10.54	<23	PASS
			2	10.44	<23	PASS
			total	13.5	<23	PASS
	802.11n	5180	1	10.62	<23	PASS
			2	10.61	<23	PASS
		5190	total	13.63	<23	PASS
			1	10.62	<23	PASS
			2	10.31	<23	PASS
			total	13.48	<23	PASS

		5200	1	10.62	<23	PASS
			2	10.62	<23	PASS
			total	13.63	<23	PASS
		5230	1	10.51	<23	PASS
			2	10.44	<23	PASS
			total	13.49	<23	PASS
		5240	1	10.35	<23	PASS
			2	10.42	<23	PASS
			total	13.39	<23	PASS
LTHV	802.11a	5180	1	10.71	<23	PASS
		5180	2	10.61	<23	PASS
		5200	1	10.6	<23	PASS
		5200	2	10.51	<23	PASS
		5240	1	10.62	<23	PASS
		5240	2	10.57	<23	PASS
	802.11ac	5180	1	10.54	<23	PASS
			2	10.51	<23	PASS
			total	13.54	<23	PASS
		5190	1	10.53	<23	PASS
			2	10.62	<23	PASS
			total	13.59	<23	PASS
		5200	1	10.51	<23	PASS
			2	10.44	<23	PASS
			total	13.49	<23	PASS
		5210	1	10.5	<23	PASS
			2	10.49	<23	PASS
			total	13.51	<23	PASS
		5230	1	10.39	<23	PASS
			2	10.41	<23	PASS
			total	13.41	<23	PASS
		5240	1	10.56	<23	PASS
			2	10.42	<23	PASS
			total	13.5	<23	PASS
	802.11n	5180	1	10.63	<23	PASS
			2	10.67	<23	PASS
			total	13.66	<23	PASS
		5190	1	10.62	<23	PASS
			2	10.37	<23	PASS
			total	13.51	<23	PASS
		5200	1	10.63	<23	PASS
			2	10.58	<23	PASS
			total	13.62	<23	PASS
		5230	1	10.54	<23	PASS
			2	10.44	<23	PASS
			total	13.5	<23	PASS
		5240	1	10.35	<23	PASS
			2	10.44	<23	PASS
			total	13.41	<23	PASS
LTIV	802.11a	5180	1	10.71	<23	PASS
		5180	2	10.55	<23	PASS
		5200	1	10.62	<23	PASS
		5200	2	10.52	<23	PASS
		5240	1	10.66	<23	PASS
		5240	2	10.58	<23	PASS
	802.11ac	5180	1	10.57	<23	PASS
			2	10.51	<23	PASS
			total	13.55	<23	PASS
		5190	1	10.57	<23	PASS

		5200	2	10.63	<23	PASS
			total	13.61	<23	PASS
			1	10.52	<23	PASS
		5210	2	10.44	<23	PASS
			total	13.49	<23	PASS
			1	10.52	<23	PASS
		5230	2	10.44	<23	PASS
			total	13.49	<23	PASS
			1	10.37	<23	PASS
		5240	2	10.39	<23	PASS
			total	13.39	<23	PASS
			1	10.57	<23	PASS
	802.11n	5180	2	10.41	<23	PASS
			total	13.5	<23	PASS
			1	10.67	<23	PASS
		5190	2	10.67	<23	PASS
			total	13.68	<23	PASS
			1	10.6	<23	PASS
		5200	2	10.38	<23	PASS
			total	13.5	<23	PASS
			1	10.59	<23	PASS
		5230	2	10.6	<23	PASS
			total	13.61	<23	PASS
			1	10.5	<23	PASS
		5240	2	10.45	<23	PASS
			total	13.49	<23	PASS
			1	10.53	<23	PASS
			2	10.44	<23	PASS
			total	13.5	<23	PASS




4. Power Density




4.1 Test Result




Test Condition	Test Mode	Test Frequency[MHz]	Ant	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
NTNV	802.11 a	5180	1	-0.5	<10	PASS
			2	-0.79	<10	PASS
		5200	1	-0.34	<10	PASS
			2	-0.61	<10	PASS
		5240	1	-0.54	<10	PASS
			2	-0.84	<10	PASS
	802.11 ac	5180	1	-1.34	<10	PASS
			2	-1.05	<10	PASS
			total		<10	PASS
		5190	1	-3.77	<10	PASS
			2	-3.78	<10	PASS
			total		<10	PASS
		5200	1	-0.79	<10	PASS
			2	-0.86	<10	PASS
			total		<10	PASS
		5210	1	-6.23	<10	PASS
			2	-6.07	<10	PASS
			total		<10	PASS
		5230	1	-3.81	<10	PASS
			2	-3.92	<10	PASS
			total		<10	PASS
		5240	1	-1.12	<10	PASS
			2	-1.25	<10	PASS
			total		<10	PASS
	802.11 n	5180	1	-0.94	<10	PASS
			2	-0.84	<10	PASS
			total		<10	PASS
		5190	1	-3.54	<10	PASS
			2	-3.37	<10	PASS
			total		<10	PASS
		5200	1	-0.71	<10	PASS
			2	-0.72	<10	PASS
			total		<10	PASS
		5230	1	-3.53	<10	PASS
			2	-3.49	<10	PASS
			total		<10	PASS
		5240	1	-1.22	<10	PASS
			2	-1.15	<10	PASS
			total		<10	PASS




4.2 Test Graph



ANT 1:

























ANT 2:














5. Transmitter unwanted emissions within the 5 GHz RLAN bands




5.1 Test Result




Test Condition	Test Mode	Test Frequency [MHz]	Ant	Result	Verdict
NTNV	802.11 a	5180	1	See test plot	PASS
			2	See test plot	PASS
		5200	1	See test plot	PASS
			2	See test plot	PASS
		5240	1	See test plot	PASS
			2	See test plot	PASS
	802.11 ac	5180	1	See test plot	PASS
			2	See test plot	PASS
		5190	1	See test plot	PASS
			2	See test plot	PASS
		5200	1	See test plot	PASS
			2	See test plot	PASS
		5210	1	See test plot	PASS
			2	See test plot	PASS
		5230	1	See test plot	PASS
			2	See test plot	PASS
		5240	1	See test plot	PASS
			2	See test plot	PASS
	802.11 n	5180	1	See test plot	PASS
			2	See test plot	PASS
		5190	1	See test plot	PASS
			2	See test plot	PASS
		5200	1	See test plot	PASS
			2	See test plot	PASS
		5230	1	See test plot	PASS
			2	See test plot	PASS
		5240	1	See test plot	PASS
			2	See test plot	PASS




5.2 Test Graph



ANT 1:

























ANT 2:













6. Transmitter spurious emissions

6.1 Test Result


TestMode	Antenna	Channel	Freq. [MHz]	Level[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	890.75	-67.74	-36	PASS
			25365.63	-37.51	-30	PASS
	Ant2	5180	889.91	-67.8	-36	PASS
			25984.38	-34.92	-30	PASS
11N20	Ant1	5180	831.83	-68.32	-54	PASS
			25353.13	-37.55	-30	PASS
	Ant2	5180	851.47	-68.13	-54	PASS
			25359.38	-35.25	-30	PASS
11N40	Ant1	5190	5143.75	-43.85	-30	PASS
			5146.88	-42.47	-30	PASS
	Ant2	5190	5146.88	-66.94	-30	PASS
11AC20	Ant1	5180	569.32	-67.94	-54	PASS
			25340.63	-37.6	-30	PASS
	Ant2	5180	24771.88	-64.58	-30	PASS
			25396.88	-64.19	-30	PASS
11AC40	Ant1	5190	5143.75	-42.38	-30	PASS
	Ant2	5190	5146.88	-40.18	-30	PASS
11AC80	Ant1	5210	5112.50	-45.14	-30	PASS
			5121.88	-44.13	-30	PASS
			5137.50	-43.98	-30	PASS
	Ant2	5210	5103.13	-47.76	-30	PASS
			5146.88	-42.97	-30	PASS

6.2 Test Graph







11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190



11AC80MIMO_Ant1_5210



11AC80MIMO_Ant2_5210




7. Receiver spurious emissions

7.1 Test Result

TestMode	Antenna	Channel	Freq. [MHz]	Level[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	24696.88	-67.72	-47	PASS
			24765.63	-67.08	-47	PASS
			24796.88	-66.92	-47	PASS
			24809.38	-66.87	-47	PASS
			24834.38	-66.93	-47	PASS
			24850.00	-66.98	-47	PASS
			24878.13	-67.28	-47	PASS
			25306.25	-67.18	-47	PASS
			25318.75	-67.01	-47	PASS
			25331.25	-66.80	-47	PASS
			25359.38	-66.63	-47	PASS
			25390.63	-66.65	-47	PASS
			25403.13	-66.77	-47	PASS
			25431.25	-66.99	-47	PASS
			25459.38	-67.23	-47	PASS
			25478.13	-67.24	-47	PASS
			25509.38	-67.80	-47	PASS
			25518.75	-67.91	-47	PASS
			25890.63	-67.72	-47	PASS
			25918.75	-67.71	-47	PASS
			25943.75	-67.75	-47	PASS
			25978.13	-67.72	-47	PASS
	Ant2	5180	21884.38	-65.58	-47	PASS
			23384.38	-66.32	-47	PASS
			23937.50	-65.92	-47	PASS
			23959.38	-65.79	-47	PASS
			24015.63	-66.02	-47	PASS
			24043.75	-65.84	-47	PASS
			24065.63	-65.72	-47	PASS
			24096.88	-65.61	-47	PASS
			24106.25	-65.56	-47	PASS
			24118.75	-65.43	-47	PASS
			24137.50	-65.34	-47	PASS
			24150.00	-65.23	-47	PASS
			24168.75	-65.09	-47	PASS
			24225.00	-65.30	-47	PASS
			24237.50	-65.09	-47	PASS
			24262.50	-65.29	-47	PASS
			24281.25	-65.49	-47	PASS
			24312.50	-65.79	-47	PASS
			24468.75	-66.12	-47	PASS
			24500.00	-66.00	-47	PASS
			24528.13	-65.95	-47	PASS
			24559.38	-65.92	-47	PASS
			24609.38	-65.47	-47	PASS
			24640.63	-65.48	-47	PASS
			24656.25	-65.30	-47	PASS
			24750.00	-64.50	-47	PASS
			24953.13	-65.25	-47	PASS
			24987.50	-65.39	-47	PASS

			24993.75	-65.43	-47	PASS
			25031.25	-65.82	-47	PASS
			25050.00	-65.80	-47	PASS
			25106.25	-65.78	-47	PASS
			25125.00	-65.71	-47	PASS
			25140.63	-65.66	-47	PASS
			25190.63	-65.66	-47	PASS
			25203.13	-65.49	-47	PASS
			25446.88	-64.39	-47	PASS
			25562.50	-65.38	-47	PASS
			25621.88	-65.71	-47	PASS
			25631.25	-65.75	-47	PASS
			25706.25	-65.54	-47	PASS
			25718.75	-65.45	-47	PASS
			25918.75	-65.00	-47	PASS

7.2 Test Graph




8. Adaptivity

8.1 Test Result


Test Mode	Channel	Priority Class	COT Num [n]	Max. COT [ms]	Limit [ms]	Min.Idel Time[ms]	Limit [ms]	Idle Period probability	Verdict
11A	5180	2	10047	1.246	6.000	0.034	0.027	See the graph	PASS

Test Mode	Channel	Interference Type	Add interference Time[ms]	Interference Level [dBm/MHz]	Max. Short Control number [n]	Limit [n]	Max. Short Control Time[ms]	Limit [ms]	Verdict
11A	5180	AWGN	2114	-72.32	1	50	1.80	2.5	PASS
		OFDM	2114	-72.32	2	50	1.80	2.5	PASS
		LTE	2114	-72.32	1	50	1.80	2.5	PASS


8.2 Test Graphs




11A_5180Interference Type: AWGN




Max.Short Control Signalling





11A_5180Interference Type: LTE





11A_5180Interference Type: OFDM



9. Receiver Blocking

9.1 Test Result

Test Mode	Antenna	Channel	Pmin [dBm]	Wanted signal [dBm]	Freq. [MHz]	CW [dBm]	PER [%]	Limit [%]	Verdict
11A	Ant1	5180	-71.92	-65.92	4900	-7	3.60	<=10	PASS
			-71.92	-65.92	5000	-7	4.20	<=10	PASS
			-71.92	-65.92	5100	-10	5.10	<=10	PASS
			-71.92	-65.92	5975	-7	0.00	<=10	PASS